

Differences between QIs and QI/QMs

QI/QM #	QI #	QI/QM Name	Source	Changes from original CHSRA QIs
CHRONIC CARE MEASURES				
Domain: Accidents				
1.1	1	Incidence of new fractures	QI 1	Identical to QI 1
1.2	2	Prevalence of falls	QI 2	Identical to QI 2
Domain: Behavior/Emotional Patterns				
2.1		Residents who have become more depressed or anxious	QM CMOD03	NEW MEASURE
2.2	3	Prevalence of behavior symptoms affecting others	QI 3	Similar to QI 3 Differences: <ul style="list-style-type: none"> • QI/QM Exclusion 3 (risk group unknown) was not applied – CHSRA labeled (and still does label) such residents as “Low Risk.” *See note below
2.3	5	Prevalence of symptoms of depression without antidepressant therapy	QI 5	Identical to QI 5
Domain: Clinical Management				
3.1	6	Use of 9 or more different medications	QI 6	Identical to QI 6
Domain: Cognitive Patterns				
4.1	7	Incidence of cognitive impairment	QI 7	Identical to QI 7
Domain: Elimination/Incontinence				
5.1	8 Low Risk	Low-risk residents who lost control of their bowels or bladder	QI 8 Low Risk QM CCNT06	Similar to QI 8 Low Risk Differences: <ul style="list-style-type: none"> • QI/QM Exclusion 2e/5 (ostomy status unknown) was not applied – CHSRA labeled (and still does label) such residents as “Low Risk” if there were no other indications of high risk. • QI/QM Exclusion 2f/6 (severe cognitive impairment unknown) was not applied – CHSRA labeled (and still does label) such residents as “Low Risk” if there were no other indications of high risk. Given the very rare nature of data being missing, these differences will rarely be apparent.
5.2	10	Residents who have/had a catheter inserted and left in their bladder	QI 10 QM CCAT02	Same as QI 10 but with risk adjustment

QI/QM #	QI #	QI/QM Name	Source	Changes from original CHSRA QIs
5.3	9	Prevalence of occasional or frequent bladder or bowel incontinence without a toileting plan	QI 9	Identical to QI 9
5.4	11	Prevalence of fecal impaction	QI 11	Identical to QI 11
Domain: Infection Control				
6.1	12	Residents with a urinary tract infection	QI 12 QM CCNT04	Identical to QI 12
Domain: Nutrition/Eating				
7.1	13	Residents who lose too much weight	QI 13 QM CWLS01	Similar to QI 13 Differences: <ul style="list-style-type: none"> • QI/QM Exclusion 3 (hospice care) is new. *See note below
7.2	14	Prevalence of tube feeding	QI 14	Identical to QI 14
7.3	15	Prevalence of dehydration	QI 15	Identical to QI 15
Domain: Pain Management				
8.1		Residents who have moderate to severe pain	QM CPA10X	NEW MEASURE
Domain: Physical Functioning				
9.1	17	Residents whose need for help with daily activities has increased	QI 17 QM CADL01	Similar to QI 17 Differences: <ul style="list-style-type: none"> • QI/QM Exclusion 3 (comatose) is now based on the most recent assessment rather than the previous assessment. • QI/QM Exclusion 4 (end-stage disease) is new. • QI/QM Exclusion 5 (hospice care) is new. *See note below
9.2	QI 16	Residents who spend most of their time in a bed or in a chair	QI 16 QM CBFT01	Similar to QI 16 Differences: <ul style="list-style-type: none"> • QI/QM Exclusion 3 (comatose) is new.
9.3		Residents whose ability to move in and around their room got worse	QM CMOB01	NEW MEASURE
9.4	QI 18	Incidence of decline in ROM	QI 18	Identical to QI 18
Domain: Psychotropic Drug Use				
10.1	QI 19	Prevalence of antipsychotic use, in the absence of psychotic or related conditions	QI 19	Identical to QI 19 *See note below

QI/QM #	QI #	QI/QM Name	Source	Changes from original CHSRA QIs
10.2	QI 20	Prevalence of antianxiety/hypnotic use	QI 20	Identical to QI 20 *See note below
10.3	QI 21	Prevalence of hypnotic use more than two times in last week	QI 21	Identical to QI 21
Domain: Quality of Life				
11.1	QI 22	Residents who were physically restrained	QI 22 QM CRES01	Identical to QI 22
11.2	QI 23	Prevalence of little or no activity	QI 23	Identical to QI 23
Domain: Skin Care				
12.1	QI 24 High Risk	High-risk residents with pressure ulcers	QI 24 High Risk QM CPRU02	Similar to QI 24 – High Risk. Differences: <ul style="list-style-type: none"> • End-stage disease is no longer considered high risk.
12.2	QI 24 Low Risk	Low-risk residents with pressure ulcers	QI 24 Low Risk QM CPRU03	Similar to QI 24 – Low Risk. Differences: <ul style="list-style-type: none"> • End-stage disease is no longer excluded.
POST-ACUTE CARE (PAC) MEASURES				
13.1		Short-Stay residents with delirium	QM PAC- DEL0X	NEW MEASURE
13.2		Short-stay residents who had moderate to severe pain	QM PAC- PA10X	NEW MEASURE
13.3		Short-stay residents with pressure ulcers	QM PAC- PRU0X	NEW MEASURE

* CHSRA always goes to the last full assessment if the most recent assessment is a quarterly. While some states collect and maintain additional MDS fields, CHSRA does not have access to the meta-data that is necessary to store and manipulate state specific data.